

ECE 587 – Hardware/Software Co-Design

Lecture 05 Process-Based Models I

Professor Jia Wang
Department of Electrical and Computer Engineering
Illinois Institute of Technology

January 29, 2025

Reading Assignment

- ▶ This lecture: 3.1.2
- ▶ Next lecture: 3.1.2, 3.2

Process-Based Models

Kahn Process Network (KPN)

Actor

Process-Based Models

- ▶ A set of concurrent processes
 - ▶ There is no guarantee on the speed of the processes. Some may run very fast, while some may simply stop there for no apparent reason.
- ▶ Processes may communicate with each other to exchange data and establish dependencies among behaviors.
 - ▶ Semantics of communication differs for different process-based models.
 - ▶ If we need to distinguish to exchange data and to establish dependencies, we call the former communication and the later synchronization.

Specifying and Implementing Processes

- ▶ Specify each process using state-based models.
 - ▶ As FSMs or sequential programs.
 - ▶ These processes run parallelly and independently.
- ▶ Implementing processes means to schedule them on processors (CPU) or processing elements (PE)
 - ▶ Scheduling a single process on a single CPU/PE is straight-forward.
 - ▶ OS usually provides support to schedule multiple processes on a single CPU/PE.
 - ▶ Otherwise, we need to provide our own scheduling, which will be introduced later.

Specifying and Implementing Communications

- ▶ Two typical communication models
 - ▶ Message passing
 - ▶ Shared memory
- ▶ Communication via message passing
 - ▶ Synchronization is implied by the message.
 - ▶ Synchronous/rendezvous(request-reply) style
 - ▶ Asynchronous/queue-based style
- ▶ Communication via shared memory
 - ▶ Data (state) are shared – synchronization is the critical issue.
 - ▶ Highly depend on the availability of synchronization primitives: e.g. mutex and semaphore as supported by OS through Inter-Process Communication (IPC) mechanisms, or memory barriers available from processors directly.
- ▶ Which one is more intuitive? Which one is more close to actual hardware?

Deadlocks

- ▶ Process A holds resource a while waiting for resource b.
- ▶ Process B holds resource b while waiting for resource a.
- ▶ The system deadlocks.
 - ▶ No process can proceed and make progress.
- ▶ Deadlocks arise if there is a circular dependency on who is owning the resource and who is requesting the resource.
- ▶ Deadlocks can be avoided by either statically preventing such dependency to happen at design time or dynamically breaking them at runtime.
 - ▶ Still quite challenging for real systems.

Deterministic Behavior

- ▶ A deterministic model will always generate the same output given the same input.
 - ▶ Input/output behavior does not depend on the performance of processes and communication channels.
 - ▶ Determinism makes debugging and validation easier.
 - ▶ Otherwise, it is difficult to tell whether the model is correct.
- ▶ Additional determinism may be introduced to the model to specify the order the processes are executed.
 - ▶ For most systems, this may lead to overspecification, impacting the performance of the implementations, since otherwise the non-deterministic behavior may be exploited for better performance.

Considerations for Process-Based Models

- ▶ How processes and communications are modeled?
- ▶ Can we prevent deadlocks?
- ▶ What kind of determinism is guaranteed?
- ▶ Let's focus on theoretical models with message passing communications first, and then discuss practical models with shared memory communications.

Process-Based Models

Kahn Process Network (KPN)

Actor

Kahn Process Network (KPN)

- ▶ Processes are represented by nodes.
 - ▶ As sequential programs.
- ▶ Communications are represented by (directed) arcs.
 - ▶ Usually known as *channels*
 - ▶ Unidirectional
 - ▶ Point to point
- ▶ Communication via message passing
 - ▶ Unit of data/message: a *token*
 - ▶ Assume each arc has an unbounded first-in-first-out (FIFO) queue to hold unprocessed tokens.

KPN Example




FIGURE 3.1 Kahn Process Network (KPN) example

(Gajski et al., 2009)

Interactions between Processes and Channels

- ▶ A process sending a token to a channel will never block.
 - ▶ Since the FIFO queue will take the token immediately.
- ▶ A process always blocks on reading a channel.
 - ▶ The process waits until a token is available and will retrieve the token immediately.
- ▶ The behavior of a process is deterministic.
 - ▶ Assume that the process cannot peek into a channel.
 - ▶ The process must decide which channel to read next and then block on that channel until a token arrives.

Modeling System Inputs and Outputs

- ▶ Inputs can be modeled as processes without incoming arc.
 - ▶ So they simply generate tokens to be further processed.
- ▶ Outputs can be modeled as processes without outgoing arc.
 - ▶ So they will remove tokens from the system.

Deadlocks and Determinism

- ▶ Certain KPNs may have deadlocks.
 - ▶ There is generally no way to decide if a KPN will have a deadlock or not.
- ▶ KPNs are deterministic.
 - ▶ The deterministic behavior of a process leads to the deterministic behavior of the system since it is independent of when a token arrives.

Implementation Considerations

- ▶ Unbounded queue cannot be implemented.
- ▶ Sizes must be imposed on all queues.
 - ▶ And we want the sizes to be as small as possible to save memory for queues.
 - ▶ However, smaller sizes may lead to artificial deadlocks.
- ▶ Scheduling of processes may impact queue sizes.
- ▶ Determinism makes it possible for some algorithms to determine a set of queues with small sizes for certain schedules.
 - ▶ However, it is not always possible to find such sizes/schedule.

Process-Based Models

Kahn Process Network (KPN)

Actor

Motivation

- ▶ KPN cannot provide more guarantees than deterministic behavior because it is difficult to analyze those complex sequential programs.
 - ▶ The complexity generally comes from that they need to consume tokens that arrive without a fixed schedule.
- ▶ A typical sandwich structure used in those processes.
 - ▶ Receive some tokens.
 - ▶ Do some computations.
 - ▶ Send some tokens.
- ▶ We have better ways to model such structure!

- ▶ Processes as actors.
 - ▶ Essentially FSMDs.
 - ▶ Each state transition is triggered by an incoming token.
 - ▶ Each state transition is usually modeled by a sequential program.
 - ▶ Output corresponds to outgoing tokens.
- ▶ Deadlocks and determinism depend on details of state transition.
 - ▶ E.g. how to consume and produce tokens.
- ▶ Widely adopted by programming languages and frameworks that need to support process-based models.

Summary

- ▶ Processes and communications are critical for process-based models.
- ▶ KPN: sequential programs+queues
- ▶ Actor: FSM+queues